SOLID DAWG TRACTION

DAWG POUND TIRES
PERFORMANCE UNDER PRESSURE

MATERIAL HANDLING / INDUSTRIAL TIRES • BLACK TRAC

SPECIFICATIONS

MEASUREMENTS IN INCHES

Part No.	Size	Ply	Gross Wt (lbs)	Rec Rim (in)	Width (in)	OD (in)	Tread Depth	Tread Type
EBT113540	10-5-6 1/2		14.6	5	5	10		TRAC
EBT118200	14-4 1/2-8		24.2	4.50	4 1/2	14		TRAC
EBT120200	14-5-10		24	5	5	14		TRAC
EBT122020	16-5-10 1/2		31	5	5	16		TRAC
EBT122560	16-6-10 1/2		37	6	6	16		TRAC
EBT122810	16-7-10 1/2		43.87	7	7	16		TRAC
EBT126560	15-5-11 1/4		28.6	5	5	15		TRAC
EBT128070	16 1/4-5-11 1/4		30.6	5	5	16.25		TRAC
EBT128560	16 1/4-6-11 1/4		35.5	6	6	16.25		TRAC
EBT129060	16 1/4-7-11 1/4		44.22	7	7	16.25		TRAC



BUILT FOR DEMANDING ENVIRONMENTS

The Solid Dawg Traction tire delivers uncompromising performance with its heavyduty, aggressive tread pattern designed to handle high load capacities with confidence. Its robust 3stage construction, paired with a durable natural rubber compound, ensures long service life and dependable grip across challenging surfaces. Available in classic black for general industrial use, and also offered in a gray nonmarking compound—perfect for facilities where strong traction is essential but black floor marks are not an option.

APPLICATIONS

FORKLIFT

SOLID DAWG TRACTION

DAWG POUND TIRES
PERFORMANCE UNDER PRESSURE

MATERIAL HANDLING / INDUSTRIAL TIRES • BLACK TRAC

SPECIFICATIONS

MEASUREMENTS IN INCHES

Part No.	Size	Ply	Gross Wt (lbs)	Rec Rim (in)	Width (in)	OD (in)	Tread Depth	Tread Type
EBT133070	18-6-12 1/8		42	6	6	18		TRAC
EBT133550	18-7-12 1/8		51.92	7	7	18		TRAC
EBT134070	18-8-12 1/8		59	8	8	18		TRAC
EBT141060	21-7-15		62	7	7	21		TRAC
EBT141520	21-8-15		69	8	8	21		TRAC
EBT142050	21-9-15		79.2	9	9	21		TRAC
EBT146590	22-8-16		76.12	8	8	22		TRAC
EBT147090	22-9-16		91.3	9	9	22		TRAC
EBT148590	22-12-16		118.25	12	12	22		TRAC
EBT156250	28-12-22		167.2	12	12	28		TRAC



BUILT FOR DEMANDING ENVIRONMENTS

The Solid Dawg Traction tire delivers uncompromising performance with its heavyduty, aggressive tread pattern designed to handle high load capacities with confidence. Its robust 3stage construction, paired with a durable natural rubber compound, ensures long service life and dependable grip across challenging surfaces. Available in classic black for general industrial use, and also offered in a gray nonmarking compound—perfect for facilities where strong traction is essential but black floor marks are not an option.

APPLICATIONS

FORKLIFT

SOLID DAWG TRACTION

DAWG POUND TIRES
PERFORMANCE UNDER PRESSURE

MATERIAL HANDLING / INDUSTRIAL TIRES • GRAY NON MARKING TRAC

SPECIFICATIONS

MEASUREMENTS IN INCHES

Part No.	Size	Ply	Gross Wt (lbs)	Rec Rim (in)	Width (in)	OD (in)	Tread Depth	Tread Type
EBT11355G	10-5-6 1/2		14.6	5	5	10		TRAC
EBT11821G	14-4 1/2-8		24.2	4.50	4 1/2	14		TRAC
EBT12021G	14-5-10		24	5	5	14		TRAC
EBT12201G	16-5-10 1/2		31	5	5	16		TRAC
EBT12255G	16-6-10 1/2		38	6	6	16		TRAC
EBT12284G	16-7-10 1/2		45.54	7	7	16		TRAC
EBT12657G	15-5-11 1/4		28.6	5	5	15		TRAC
EBT12806G	16 1/4-5-11 1/4		36.96	5	5	16.25		TRAC
EBT12857G	16 1/4-6-11 1/4		35.86	6	6	16.25		TRAC
EBT12909G	16 1/4-7-11 1/4		44.7	7	7	16.25		TRAC



BUILT FOR DEMANDING ENVIRONMENTS

The Solid Dawg Traction tire delivers uncompromising performance with its heavyduty, aggressive tread pattern designed to handle high load capacities with confidence. Its robust 3stage construction, paired with a durable natural rubber compound, ensures long service life and dependable grip across challenging surfaces. Available in classic black for general industrial use, and also offered in a gray nonmarking compound—perfect for facilities where strong traction is essential but black floor marks are not an option.

APPLICATIONS

FORKLIFT

SOLID DAWG TRACTION

DAWG POUND TIRES
PERFORMANCE UNDER PRESSURE

MATERIAL HANDLING / INDUSTRIAL TIRES • GRAY NON MARKING TRAC

SPECIFICATIONS

MEASUREMENTS IN INCHES

Part No.	Size	Ply	Gross Wt (lbs)	Rec Rim (in)	Width (in)	OD (in)	Tread Depth	Tread Type
EBT13305G	18-6-12 1/8		43.34	6	6	18		TRAC
EBT13354G	18-7-12 1/8		52.8	7	7	18		TRAC
EBT13406G	18-8-12 1/8		59.4	8	8	18		TRAC
EBT14105G	21-7-15		63	7	7	21		TRAC
EBT14151G	21-8-15		75	8	8	21		TRAC
EBT14204G	21-9-15		79.2	9	9	21		TRAC
EBT14658G	22-8-16		77.88	8	8	22		TRAC
EBT14708G	22-9-16		92.62	9	9	22		TRAC
EBT14858G	22-12-16		130.68	12	12	22		TRAC
EBT15618G	28-12-22		167.2	12	12	28		TRAC



BUILT FOR DEMANDING ENVIRONMENTS

The Solid Dawg Traction tire delivers uncompromising performance with its heavyduty, aggressive tread pattern designed to handle high load capacities with confidence. Its robust 3stage construction, paired with a durable natural rubber compound, ensures long service life and dependable grip across challenging surfaces. Available in classic black for general industrial use, and also offered in a gray nonmarking compound—perfect for facilities where strong traction is essential but black floor marks are not an option.

APPLICATIONS

FORKLIFT